Journal of the Neurological Sciences, 100 (1990), 244–246
© Elsevier

Author Index (Vol. 100)

Abramsky, O., see Birmanns, B., 22
Al-Din, A.S.N., Khogali, M., Poser, C.M., Al-Nassar, K.E., Shakir, R., Hussain, J., Behbahani, K. and Chadha, G., Epidemiology of multiple sclerosis in Arabs in Kuwait: a comparative study between Kuwaitis and Palestinians, 137
Al-Nassar, K.E., see Al-Din, A.S.N., 137
Alvarez-Cermeño, J.C., Varela, J.M., Villar, L.M., Casado, C., Dominguez, M., Roy, G., Bootello, A. and Gonzalez-Porque, P., Intrathecal synthesis of soluble class I antigens (sHLA) in patients with HIV infection and tuberculous meningitis, 152
Angelini, C., see Bresolin, N., 70
Arnaudo, E., see Bresolin, N., 70
Asanuma, M., Ogawa, N., Sora, Y.H., Pongdhana, K., Haba, K. and Mori, A., Alterations of somatostatin and its modulation by levodopa in MPTP-treated mouse brain, 155

Barbeau, H., see Fung, J., 85
Barth, P.G., see Herzberg, N.H., 50
Barton, D., see Maher, E.R., 27
Behbahani, K., see Al-Din, A.S.N., 137
Benjamin, C., see Maher, E.R., 27
Bentley, E., see Maher, E.R., 27
Bertolotto, A., Rocca, G. and Schiffer, D., Chondroitin 4-sulfate proteoglycan forms an extracellular network in human and rat central nervous system, 113
Bharali, L.A.M. and Lisney, S.J.W., Success of regeneration of peripheral nerve axons in rats after injury at different postnatal ages, 203
Binda, A., see Bresolin, N., 70
Birmanns, B., Saphier, D. and Abramsky, O., α-Interferon modifies cortical EEG activity: dose-dependence and antagonism by naloxone, 22
Blumbergs, P.C., see Panegyres, P.K., 193
Bolhuis, P.A., see Herzberg, N.H., 50
Bootello, A., see Alvarez-Cermeño, J.C., 152
Bourne, A.J., see Panegyres, P.K., 193
Braakhekko, J.P., see Poels, P.J.E., 108
Bresolin, N., Doriguzzi, C., Ponzetto, C., Angelini, C., Moroni, I., Castelli, E., Cossutta, E., Binda, A., Gallanti, A., Gabellini, S., Piccolo, G., Martinuzzi, A., Ciafaloni, E., Arnaudo, E., Liciardello, L., Carenzi, A. and Scarlato, G., Ubidecarenone in the treatment of mitochondrial myopathies: a multi-center double-blind trial, 70
Brown, J.E., see Reynolds, G.P., 243

Carenzi, A., see Bresolin, N., 70
Carpenter, S., see Weller, B., 9
Casado, C., see Alvarez-Cermeño, J.C., 152
Castelli, E., see Bresolin, N., 70
Chadha, G., see Al-Din, A.S.N., 137
Chiba, S., Matsumoto, H., Motoi, Y., Miyano, N. and Kashiwagi, M., High serum adenosine deaminase activity and its correlation with lymphocyte subsets in myasthenia gravis, 174
Ciafaloni, E., see Bresolin, N., 70
Cossutta, E., see Bresolin, N., 70
Crossman, A.R., see Griffiths, P.D., 131

Davies-Jones, G.A.B., see Kandler, R.H., 94
De Keyser, J., Response to the letter by Reynolds et al., 244
Dominguez, M., see Alvarez-Cermeño, J.C., 152
Doriguzzi, C., see Bresolin, N., 70

Ernerudh, J., see Vrethem, M., 186
Esiri, M.M. and Gay, D., Immunological and neuropathological significance of the Virchow-Robin space, 3

Farrand, D.A., see Fishman, P.S., 43
Ferguson-Smith, M.A., see Maher, E.R., 27
Fishman, P.S., Farrand, D.A. and Kristt, D.A., Internalization of plasma proteins by cerebellar Purkinje cells, 43
Follows, I., see Maher, E.R., 27
Fukazawa, T., Hamada, T., Tashiro, K., Moriwaka, F. and Yanagihara, T., Acute transverse myelopathy in multiple sclerosis, 217
Fung, J., Stewart, J.E. and Barbeau, H., The combined effects of clonidine and cyproheptadine with interactive training on the modulation of locomotion in spinal cord injured subjects, 85
Furukawa, T., see Uchihara, T., 161

Gabellini, S., see Bresolin, N., 70
Gallanti, A., see Bresolin, N., 70
Gay, D., see Esiri, M.M., 3
Gonzalez-Porque, P., see Alvarez-Cermeño, J.C., 152
Goto, Y., Koga, Y., Horai, S. and Nonaka, I., Chronic progressive external ophthalmoplegia: a correlative study of mitochondrial DNA deletions and their phenotypic expression in muscle biopsies, 63
Griffiths, P.D., Sambrook, M.A., Perry, R. and Crossman, A.R., Changes in benzodiazepine and acetylcholine receptors in the globus pallidus in Parkinson's disease, 131
Gross-Sampson, M.A., Kriss, A. and Muller, D.P.R., A longitudinal study of somatosensory, brainstem auditory and peripheral sensory-motor conduction during viatmin E deficiency in the rat, 79
Gumpert, E.J.W., see Kandler, R.H., 94

Haba, K., see Asanuma, M., 155
Hamada, T., see Fukazawa, T., 217
Harris, R., see Maher, E.R., 27
Hashimoto, T. and Yanagisawa, N., Acute reduction and long-term improvement of chorea with ceruletide (cholecystokinin analogue), 178
Herzberg, N.H., Wolterman, R.A., van den Berg, G.J., Barth, P.G. and Bolhuis, P.A., Metallothionein in Menkes' disease: induction in cultured muscle cells, 50
Horai, S., see Goto, Y., 63
Hussain, J., see Al-Din, A.S.N., 137

Ichikawa, T., see Uchihara, T., 161
Inui, K., Nishimoto, J., Taniike, M., Midorikawa, M., Tsukamoto, H., Okada, S. and Yabuuchi, H., Study of pathogenesis in twitcher mouse,

an enzymatically authentic model of Krabbe's disease, 124
Irving, D., see Perry, R.H., 223

Jarratt, J.A., see Kandler, R.H., 94
Jennings, A., see Maher, E.R., 27
Joosten, E.M.G., see Poels, P.J.E., 108
Jordan, N., see Kandler, R.H., 94

Kandler, R.H., Jarratt, J.A., Sagar, H.J., Gumpert, E.J.W., Venables, G.S., Davies-Jones, G.A.B. and Jordan, N., Abnormalities of central motor conduction in Parkinson's disease, 94
Karpati, G., see Weller, B., 9
Kashiwagi, M., see Chiba, S., 174
Khogali, M., see Al-Din, A.S.N., 137
Kleinholz, M., see Wagner, K.R., 142
Koga, Y., see Goto, Y., 63
Kosaka, K., see Tsuchiya, K., 165
Kriss, A., see Gross-Sampson, M.A., 79
Kristt, D.A., see Fishman, P.S., 43
Kuroda, Y. and Takashima, H., Impairment of cell-mediated immune responses in HTLV-I-associated myelopathy, 211

Landon, D.N., see Small, J.R., 98
Leong, A.S-Y., see Panegyres, P.K., 193
Liciardello, L., see Bresolin, N., 70
Lindström, F., see Vrethem, M., 186
Lisney, S.J.W., see Bharali, L.A.M., 203

Maher, E.R., Bentley, E., Yates, J.R.W., Barton, D., Jennings, A., Follows, I., Ponder, M.A., Ponder, B.A.J., Benjamin, C., Harris, R. and Ferguson-Smith, M.A., Mapping of Von Hippel-Lindau disease to chromosome 3p confirmed by genetic linkage analysis, 27
Martinuzzi, A., see Bresolin, N., 70
Mathiesen, T., Sönnerborg, A., Trojnar, J. and Wahren, B., Fine analysis of intrathecally synthesized anti-HIV IgG1-4 by peptide mapping, 31
Matsumoto, H., see Chiba, S., 174
Mechanic, G.L., see Ono, S., 234
Meijer, A.E.F.H., Histochemical features of ragged-red fibres in diseased skeletal muscles, 57
Midorikawa, M., see Inui, K., 124
Miyano, N., see Chiba, S., 174
Mori, A., see Asanuma, M., 155
Moriwaka, F., see Fukazawa, T., 217
Moroni, I., see Bresolin, N., 70
Motoi, Y., see Chiba, S., 174
Muller, D.P.R., see Gross-Sampson, M.A., 79
Müller-Höcker, J., Cytochrome *c*oxidase deficient fibres in the limb muscle and diaphragm of man without muscular disease: an age-related alteration, 14
Myers, R.E., see Wagner, K.R., 142

Nishimoto, J., see Inui, K., 124
Nitta, T., Sato, K. and Okumura, K., Transforming growth factor (TGF)-β like activity of intracranial meningioma and its effect on cell growth, 238
Nonaka, I., see Goto, Y., 63

Ogawa, N., see Asanuma, M., 155
Okada, S., see Inui, K., 124
Okumura, K., see Nitta, T., 238
Ono, S., Mechanic, G.L. and Yamauchi, M., Amyotrophic lateral sclerosis: unusually low content of collagen in skin, 234

Panegyres, P.K., Blumbergs, P.C., Leong, A.S-Y. and Bourne, A.J., Vasculitis of peripheral nerve and skeletal muscle: clinicopathological correlation and immunopathic mechanisms, 193
Pearson, S.J., see Reynolds, G.P., 243
Perry, R., see Griffiths, P.D., 131
Perry, R.H., Irving, D. and Tomlinson, B.E., Lewy body prevalence in the aging brain: relationship to neuropsychiatric disorders, Alzheimer-type pathology and catecholaminergic nuclei, 223
Piccolo, G., see Bresolin, N., 70
Poels, P.J.E., Braakhekko, J.P., Joosten, E.M.G. and Stegeman, D.F., Dantrolene sodium does influence the second wind phenomenon in McArdle's disease, 108
Ponder, B.A.J., see Maher, E.R., 27
Ponder, M.A., see Maher, E.R., 27
Pongdhana, K., see Asanuma, M., 155
Ponzetto, C., see Bresolin, N., 70
Poser, C.M., see Al-Din, A.S.N., 137

Reynolds, G.P., Brown, J.E. and Pearson, S.J., No deficit of pallidal D_2 dopamine receptors in Huntington's disease, 243
Rocca, G., see Bertolotto, A., 113
Roy, G., see Alvarez-Cermeño, J.C., 152

Sagar, H.J., see Kandler, R.H., 94
Sambrook, M.A., see Griffiths, P.D., 131
Saphier, D., see Birmanns, B., 22
Sato, K., see Nitta, T., 238
Scadding, J.W., see Small, J.R., 98
Scarlato, G., see Bresolin, N., 70
Schiffer, D., see Bertolotto, A., 113
Shakir, R., see Al-Din, A.S.N., 137
Simmons, R.D. and Willenborg, D.O., Direct injection of cytokines into the spinal cord causes autoimmune encephalomyelitis-like inflammation, 37
Skogh, T., see Vrethem, M., 186
Small, J.R., Scadding, J.W. and Landon, D.N., A fluorescence study of changes in noradrenergic sympathetic fibres in experimental peripheral nerve neuromas, 98
Sönnerborg, A., see Mathiesen, T., 31
Sora, Y.H., see Asanuma, M., 155
Stegeman, D.F., see Poels, P.J.E., 108
Stewart, J.E., see Fung, J., 85

Takashima, H., see Kuroda, Y., 211
Taniike, M., see Inui, K., 124
Tashiro, K., see Fukazawa, T., 217
Tomlinson, B.E., see Perry, R.H., 223
Trojnar, J., see Mathiesen, T., 31
Tsuchiya, K. and Kosaka, K., Neuropathological study of amygdala in presenile Alzheimer's disease, 165
Tsukagoshi, H., see Uchihara, T., 161
Tsukamoto, H., see Inui, K., 124

Uchihara, T., Ichikawa, T., Furukawa, T. and Tsukagoshi, H., Myoclonus with burning sensation in legs that remits with sympathetic blockade, 161

Van den Berg, G.J., see Herzberg, N.H., 50
Varela, J.M., see Alvarez-Cermeño, J.C., 152
Venables, G.S., see Kandler, R.H., 94
Villar, L.M., see Alvarez-Cermeño, J.C., 152
Vrethem, M., Ernerudh, J., Lindström, F. and Skogh, T., Immunoglobulins within the central nervous system in primary Sjögren's syndrome, 186

Wagner, K.R., Kleinholz, M. and Myers, R.E., Delayed decreases in specific brain mitochondrial electron transfer complex activities and cytochrome concentrations following anoxia/ischemia, 142
Wahren, B., see Mathiesen, T., 31
Weller, B., Karpati, G. and Carpenter, S., Dystrophin-deficient *mdx* muscle fibers are preferentially vulnerable to necrosis induced by experimental lengthening contractions, 9
Willenborg, D.O., see Simmons, R.D., 37
Wolterman, R.A., see Herzberg, N.H., 50

Yabuuchi, H., see Inui, K., 124
Yamauchi, M., see Ono, S., 234
Yanagihara, T., see Fukazawa, T., 217
Yanagisawa, N., see Hashimoto, T., 178
Yates, J.R.W., see Maher, E.R., 27

Journal of the Neurological Sciences, 100 (1990) 247
© Elsevier Science Publishers (Biomedical Division)

Subject Index (Vol. 100)

Acetylcholine receptor, 131
Acute transverse myelopathy, 217
Adenosine deaminase, 174
Age, 203
Ageing, 14, 223
AIDS, 3, 152
Alzheimer-type pathology, 223
Amino acid, 234
Amorphous material, 234
Amyotrophic lateral sclerosis, 234
Anoxia, 142
Arabs, 137
Autoradiography, 131

Benzodiazepine receptor, 131
Blood–brain barrier, 43
Brain mitochondria, 142
Brainstem auditory evoked potentials, 79

Cell adhesion, 113
Central motor conduction, 94
Central nervous system (CNS), 22, 37
Cerebrospinal fluid, 186
Ceruletide, 178
Cholecystokinin, 178
Chondroitin, 113
Chorea, 178
Chromosome 3p, 27
Clinical features, 217
Clonidine, 85
Collagen, 234
Comparative study, 137
Controls, 223
CSF diagnosis, 31
Cyproheptidine, 85
Cytochrome c oxidase deficiency, 14

Dantrolene sodium, 108
Dementia, 155
Dinitrochlorobenzene, 211
Distribution of amygdaloid changes, 165
Dystrophin, 9

EEG, 22
Electron transport chain, 142
Encephalitis, 3
Enzyme histochemistry, 57
Epidemiology, 137
Exercise intolerance, 108
Exercise test, 108
Experimental neuromas, 98
Extracellular, 113

Focal cytochrome *c* oxidase deficiency, 63

Galactosylceramide, 124
Galactosylsphingosine, 124
Genetic linkage, 27
Glia, 113
Globus pallidus, 131

Histocompatibility antigens class I, 152
HIV, 31, 152
Homovanillic acid, 178
HTLV-I-associated myelopathy, 211
5-Hydroxyindoleacetic acid, 178
Hydroxylysine, 234
Hydroxyproline, 234
Hyperglycemia, 142

Immune reactions, 193
Immunoblot, 186
Immunoglobulins, 43
Immunohistochemistry, 43
Immunology, 3
Immunoperoxidase staining, 193
α-Interferon, 22
Interferon-γ, 37
Intrathecal IgG synthesis, 3

Japanese, 217

Kearns-Sayre syndrome, 63

Lengthening contractions, 9
Levodopa, 155
Lewy bodies, 223
Lewy body disease, 223
Locomotion, 85
Locus ceruleus, 223
Lymphocyte typing, 193
Lymphocytes, 174
Lymphoproliferative response, 211

Magnetic stimulation, 94
Mapping, 27
McArdle's disease, 108
mdx dystrophy, 9
Menkes' disease, 50
Metallothionein, 50
Mitochondrial DNA, 63
Mitochondrial myopathy, 14, 70
Motor evoked potentials, 79
MPTP, 155
mtDNA deletion, 70
Multiple sclerosis, 3, 137, 186, 217
Muscle cells, 50
Myasthenia gravis, 174
Myelinated axons, 203
Myotubes, 50

Naloxone, 22
Necrosis, 9
Neurofibrillary tangle, 165
Neurologic deterioration, 142
Neuromuscular disease, 63
Neuromyelitis optica, 217
Neuron, 113
Neuronal loss, 165
Neuropathology, 3
Nocturnal myoclonus, 161
Noradrenaline, 98

OK Ia1+ cells, 174
Oligoclonal IgG, 186
Ophthalmoplegia, 63
Orofacial dyskinesia, 178

Pain, 98
Painful legs and moving toes, 161
Paraneoplastic cerebellar degeneration, 43
Parkinson's disease, 94, 131, 155
Pathogenesis, 124
Peripheral nerve regeneration, 203
Plasma proteins, 43
PPD, 211
Presenile Alzheimer's disease, 165
Primary Sjögren's syndrome, 186
Proteoglycan, 113
Purkinje cells, 43

Ragged-red fibers, 57
Rat, 79
Rehabilitation, 85
Restless leg syndrome, 161

Senile plaque, 165
Serum proteins, 43
Shortenings contractions, 9
Skeletal muscle, 14, 57
Skin, 234
Skin reaction, 211
Somatosensory evoked potentials, 79
Somatostatin, 155
Spasticity, 85
Spinal cord injury, 85
Structural protein-enzyme association, 57
Substantia nigra, 223
Surface EMG, 108
Sympathetic block, 161
Sympathetic efferent activity, 98

α- Tocopherol, 79
Transferrin, 43
Tuberculous meningitis, 152
Tumor necrosis factor, 37
Twitcher mouse, 124

Ubiquinone, 70
Unmyelinated axons, 203

Virchow-Robin space, 3
Vitamin E deficiency, 79
Von Hippel-Lindau disease, 27

Wake/sleep, 22